

✓✓ Steel Wire Rope

✓✓ Steel Wire

KÖŞKERLER

KÖŞKERLER®
ÇELİK HALAT ve MAK. SAN. TİC. A.Ş.



ABOUT US

- KÖŞKERLER has been manufacturing steel wire rope and steel wire for many applications since 1989.
- Factory takes place in Kocaeli, 17.000 m2 closed, 24.000 m2 total area.
- Average machine age is 4 years.
- Yearly capacity is 60.000 Tons.
- Products are manufactured according to related standards and ISO 9001 Quality Management System.



Steel Wire Rope

- **Main Areas of Use:** Elevator, Crane, General Engineering Applications, Automotive, Cable, Marine, Fishing, Marble, etc.
- **Diameter Range:** Ø 1.00 mm - Ø 40.00 mm
- **Construction of Ropes:** 6x7, 6x19, 6x24, 6x26, 6x36, 8x19, 8x36, 19x7, 24x7 and Monotoron Ropes 1x7, 1x19, 1x37 and etc.
- **Related Standards:** EN 12385




Spring Wires

- **Diameter Range:** Ø 0.40 mm - Ø 13.00 mm
- **Quality:** SL, SM, SH
- **Coating:** Phosphated and Galvanized (EN 10244-2)
- **Packaging:** Available up to 2.000 Kg Z coiling with/without cardboard and rosette coil
- **Lead Patented Spring Wire:** Available depending on the requested size and quality
- **Related Standards:** EN 10270-1





Rope Wires

- **Diameter Range:** Ø 0.25 mm - Ø 3.50 mm
 - **Tensile Strength:** From 1170 N/mm² to 1960 N/mm²
 - **Coating:** Phosphated and Galvanized (EN 10244-2)
 - **Packaging:** Available up to 2.000 Kg Z coiling with/without cardboard and rosette coil
- *** All drawn rope wires are lead patented and hot dipped galvanized




Patented Wires

- **Diameter Range:** Ø 1.80 mm - Ø 5.00 mm
- **Coating:** Phosphated and Galvanized (EN 10244-2)
- **Packaging:** Rosette coil up to 1.000 Kg



ACSR Wire

- **Diameter Range:** Ø 1.30 mm - Ø 4.50 mm
- **Coating:** Hot dipped galvanized, Zn up to 300 gr/m²
- **Related Standards:** EN 50189-ASTM B498



Bolt Wire

- **Diameter Range:** Ø 5.00 mm - Ø 25.00 mm
- Phosphated and Annealed





KÖŞKERLER®

ÇELİK HALAT ve MAK. SAN. TİC. A.Ş.

Çerkeşli OSB Mah. İMES Bulvarı, No:20

41455 – Dilovası/Kocaeli, TÜRKİYE

Phone: +90 262 754 00 01 – Fax: +90 262 754 17 93

info@koskerler.com.tr

www.koskerler.com.tr